



## Second Nature Wood Fiber Specifications

### Product

Second Nature Wood Mulch is made from virgin hardwood chips. It is non-toxic, biodegradable and contaminant-free. Tackifiers and soil conditioners may be added for one step seeding and erosion control jobs.

*(This product is also available with Guar gum tackifier mixed in the bag at 3%.)*

### Mixing Procedure

Mix Second Nature Wood Mulch in approximately 100 gallons of water to each 50-pound bag.

Add seed and fertilizer as specified.

### Tank Time

Second Nature Wood Mulch absorbs water quickly to become workable slurry. The slurry should appear as a blend with no separation in the wood and water.

### Application

Apply Second Nature Wood Mulch with seed and fertilizer added, or as a separate application after drilling or broadcasting. Good soil preparation is essential. Slurry containing seed and fertilizer is best applied from the hose by pointing the nozzle straight down to drive the material into the soil. The application should then be topped-off by allowing the material to "rain on" the surface to achieve approximately an 85-90% coverage appearance.

A tackifier should be added to the mix at the rates specified for the severity of the slope.

### Mix Ratio & Coverage Data

Mix ratio - - - - - 1 bag in approximately  
100 gallon of water  
Minimum required usage 1,500 lbs. per acre

### Appearance

Second Nature Wood Mulch will appear dark green at the time of application. During the curing process, the color will gradually fade.

### Equipment

Second Nature Wood Mulch is mixed and applied with a standard hydroseeding machine. A mechanical paddle-type agitator is recommended.

### Technical Assistance

Questions or requests for additional technical information should be addressed to: Technical Director, Central Fiber Corporation 800-654-6117

### Physical Properties

Virgin wood chips (min) - - - - - 90%  
Moisture content - - - - - 12% (+ / - 3%)  
pH @ 25C - - - - - -6.5 (+ / - 1%)  
Toxicity - - - - - non-toxic  
Water holding capacity - - - - - 10x own weight  
Applied color - - - - - green  
*Tackifier (If Applicable).....3%*

### Packaging & Shipping Data

Bag size - - - - - 18" x 10" x 29"  
Bag wt - - - - - 50 lbs.  
Pallet - - 40 bags - - - - 95" H x 47" W x 47" L  
Full truck - - - - - 22 pallets, 880 bags  
Half truck - - - - - 11 pallets, 440 bags

### Manufacturer

Second Nature Wood Mulch is manufactured by Central Fiber Corporation, Canton, Ohio, 888-452-2630.

### Warranty

Central Fiber Corporation warrants that the properties of the product meet the specifications outlined in the latest product specification when installed in accordance with its application instructions. Hydroseeding contractors warrant their workmanship as outlined in their respective contracts. Any liability will be limited to a refund of purchase price or replacement of material, at manufacturer's option. Compliance with local codes and regulations and suitability of the product for any particular application is the responsibility of the installer and property owner.